


No.

200600146



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Monsanto Technology LLC

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PROPAGATING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE FOREGOING PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'1533766'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-fifth day of November, in the year two thousand and eight.

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.


Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2420).

1. NAME OF OWNER Monsanto Technology L.L.C.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME None		3. VARIETY NAME I533766	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) 800 N. Lindbergh Blvd. Creve Coeur, MO 63167 U.S.A.		5. TELEPHONE (Include area code) (815) 758-9281		FOR OFFICIAL USE ONLY PVPO NUMBER 2008 00 146 FILING DATE March 2, 2006	
		6. FAX (Include area code) (815) 758-3117			
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) Corporation		8. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware		9. DATE OF INCORPORATION August 27, 1999	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers)				FILING AND EXAMINATION FEES: \$ 4382.00 DATE 3/2/06 CERTIFICATION FEE: \$ 768.00 DATE 10/27/08	
Timothy R. Kain 8350 Minnegan Road Waterman, IL 60556 U.S.A. Michael J. Roth 800 N. Lindbergh Blvd. Creve Coeur, MO 63167 U.S.A.					
11. TELEPHONE (Include area code) (815) 758-9281		12. FAX (Include area code) (815) 758-3117		13. E-MAIL trkain@monsanto.com	
14. CROP KIND (Common Name) Corn, Field		15. GENUS AND SPECIES NAME OF CROP Zea mays			
16. FAMILY NAME (Botanical) Graminae		17. IS THE VARIETY A FIRST GENERATION HYBRID? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)		19. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Act			
a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of Variety d. <input type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional) e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Owner's Ownership f. <input checked="" type="checkbox"/> Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository) g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$3,652), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)		<input type="checkbox"/> YES (If "yes", answer items 20 and 21 below) <input checked="" type="checkbox"/> NO (If "no", go to item 22) 20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, WHICH CLASSES? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED 21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS. <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED (If additional explanation is necessary, please use the space indicated on the reverse.)			
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)		23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)			

24. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) is(are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF OWNER 		SIGNATURE OF OWNER	
NAME (Please print or type) Timothy R. Kain		NAME (Please print or type)	
CAPACITY OR TITLE Patent Scientist	DATE 3/28/06	CAPACITY OR TITLE	DATE

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), **ALL** of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds; for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office

Telephone: (301) 504-5518

FAX: (301) 504-5291

Homepage: <http://www.ams.usda.gov/science/pvpo/pvp.htm>

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
(2) the details of subsequent stages of selection and multiplication;
(3) evidence of uniformity and stability; and
(4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
(1) identify these varieties and state all differences objectively;
(2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
(3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
19. If "Yes" is specified (*seed of this variety be sold by variety name only, as a class of certified seed*), the applicant **MAY NOT** reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.

21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Parent of a hybrid sold in the U.S. – April 2005

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

U.S. Patent Application No. 11/096,280 – filed March 31, 2005 (1533766)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. <http://www.ams.usda.gov/lsg/seed.htm>

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2800 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

**EXHIBIT A
(revised)**Origin and Breeding History
I533766

I533766 was selected for its better plant health, better vigor, earlier flowering, and greater combining ability.

Summer 1992	The inbred line 3I1H6 (a proprietary DEKALB Genetics Corporation inbred) was crossed to the inbred line 29MIF12* (a proprietary DEKALB Genetics Corporation inbred) in nursery rows 92:319-4 and 321-9 in Olivia, MN.
Summer 1993	The S0 seed was grown and self-pollinated in nursery row 93:241-16.
Summer 1994	The S1 seed was grown and self-pollinated in nursery rows 94:14-40 through 94:14-1. 66 ears were selected.
Winter 1994	S2 ears were grown ear-to-row and self-pollinated. 3 ears were selected from nursery row W4:86-182.
Summer 1996	S3 ears were grown ear-to-row and self-pollinated. 4 ears were selected from nursery row 95:123-38.
Summer 1997	S4 ears were grown ear-to-row and self-pollinated. 3 ears from nursery row 97:223-46 were selected.
Summer 1998	S5 ears were grown ear-to-row and self-pollinated. 4 ears from nursery row 98:191-30 were selected.
Winter 1998	S6 ears were grown ear-to-row and self-pollinated. 4 S7 ears were selected from nursery row W89:8GSL-3-9 and designated as I533766.
Summer 1999	S7 ears were grown ear-to-row and self pollinated. Rows 99:241-41 and 99:241-42 were the final selected rows.

* - 29MIF12 is derived from MO17, C103 and 29MIBZ2 (PVP No. 9100124)

Statement of Stability and Uniformity

Corn inbred I533766 was coded in winter 1998 with final selection made in summer 1999. This inbred has been reproduced by self pollination for three generations and judged to be stable. Inbred I533766 is uniform for all traits observed.

Statement of Variants

I533766 shows no variants other than what would normally be expected due to environment or that would occur for almost any character during the course of repeated sexual reproduction.

200600146

EXHIBIT B
(revised)

Statement of Distinctness

Monsanto Technology ^{LLC} ~~L.L.C.~~ believes that I533766 is most similar to corn inbred 29MIF12, an inbred developed by DEKALB Genetics Corporation.

I533766 and 29MIF12 differ most significantly in the following traits:

Trait	I533766	29MIF12
Ear Position	Upright	Pendant

2002

Variety	Ear Shank Length (cm)	Tassel Branch Angle (degrees)
I533766	6.0 (Std Dev = 0.5, N= 10)	22.0 (Std Dev = 7.1, N= 10)
29MIF12	14.6 (Std Dev = 1.2, N= 10)	39.1 (Std Dev = 4.9, N= 10)
P_Val	0.000	0.000
Signif.	**	**

2003

Variety	Ear Shank Length (cm)	Tassel Branch Angle (degrees)
I533766	7.9 (Std Dev = 0.5, N=10)	16.5 (Std Dev = 6.7, N= 10)
29MIF12	12.8 Std Dev = 1.4 , N=10)	37.5 (Std Dev = 5.1, N= 10)
P_Val	0.000	0.000
Signif.	**	**

Significance levels are indicated as: + = 10%, * = 5 %, ** = 1%

Corn variety I533766 has an upright ear position, shorter ear shank and narrower tassel branch angle while comparative corn variety 29MIF12 has a pendant ear position, a longer ear shank and wider tassel branch angle.

EXHIBIT B
(revised)

Description of Experimental Design

The corn varieties I533766, 29MIF12 and MO17 were grown at the Waterman, IL observation nursery in years 2002-2003. The varieties were planted in 2 row plots with 15 plants per row in each of the three years. Trait data were collected on 10 random representative plants for most traits from each 2 row plot. Data on qualitative traits are usually collected on 10 plants from each 2 row plot. For Exhibit C all data were pooled and reported as means across the years for subject variety and the standard variety with standard deviation. The varieties are randomly planted in a 4.5 acre observation nursery which is located within a larger 18 acre field. Besides the observation nursery, this field consists of a research seed increase nursery and an IP seed inventory nursery. The location of each of these individual nurseries is rotated each year to a different location within the 18 acre field. Therefore subject inbreds are not planted adjacent to comparative or standard varieties and may be located in different areas of the larger field each year, therefore being influenced by spacial differences within the field. Growing conditions within the field are not uniform as there are some slight topographical variations such as lower areas which may accumulate and retain water or higher areas which are usually drier. The field is tiled and therefore a variety maybe planted close to a tile line while a comparative variety maybe planted further away and in a low spot within the field. Temporal varieties can exist as weather conditions from year to year can vary as well as planting dates can vary from year to year based on weather conditions. Weather conditions each year can vary the maturity rate of the varieties due to either favorable or unfavorable growing conditions.

Trait variability is not observed for each variety within its own test plot-plants are usually uniform and data are collected on the "most" representative plants- variability occurs due to spacial location of the test plot for that variety from year to year and to the temporal variation of weather conditions from year to year during the 2-3 years data are collected.

Waterman Research Station
Weather Data 2002-2003

Date	Average Precip. (mm)	Ave. Monthly Temp - Max. (F°)	Ave. Monthly Temp-Min (F°)	Ave. Monthly Rel. Humid. - Max (%)	Ave. Monthly Rel. Humid - Min (%)
June 2002	5.3	81.3	60.4	90.7	47.7
July 2002	1.5	87.0	64.9	93.2	48.3
August 2002	5.7	83.1	61.0	96.0	51.8
Sept. 2002	1.5	79.4	52.6	95.0	42.7
June 2003	2.0	75.7	55.7	-	-
July 2003	6.4	82.2	62.2	-	-
August 2003	2.6	83.5	63.5	-	-
Sept 2003	2.6	72.9	52.9	-	-

OBJECTIVE DESCRIPTION OF VARIETY

6

200600146

Application Variety Data			Page 2		Standard Inbred Data		
5. LEAF:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
0 7 . 8	cm Width of Ear Node Leaf	1.2	30	0 0 9. 0	0.7	30	
7 0. 0	cm Length of Ear Node Leaf	2.7	30	0 6 2. 4	6.4	30	
5 . 1	Number of leaves above top ear	0.7	30	5. 6	0.4	15	
3 4. 0	degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf)	6.8	30	3 5. 8	7.8	30	
0 2	Leaf Color (Munsell code 5 GY 4/8)			0 2 (Munsell code 5 GY 5/10)			
4	Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz)			2			
3	Marginal Waves (Rate on scale from 1=none to 9=many)			5			
5	Longitudinal Creases (Rate on scale from 1=none to 9=many)			8			
6. TASSEL:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
0 9. 2	Number of Primary Lateral Branches	2.4	30	7. 1	1.1	30	
1 9. 3	Branch Angle from Central Spike	7.5	30	3 4. 6	5.2	30	
3 8. 6	cm Tassel Length (from top leaf collar to tassel tip)	2.7	30	4 7. 4	4.9	30	
5.9	Pollen Shed (Rate on scale from 0=male sterile to 9=heavy shed)			4. 3			
1 4	Anther Color (Munsell code 2.5 R 5/8)			0 5 (Munsell code 2.5 GY 8/6)			
1 7	Glume Color (Munsell code 5 RP 5/6)			0 2 (Munsell code 5 GY 4/8)			
1	Bar Glumes (Glume Bands): 1=Absent 2=Present			1			
7a. EAR (Unhusked Data):							
1 4	Silk Color (3 days after emergence) (Munsell code 5 R 5/8)			0 5 (Munsell code 2.5 GY 8/6)			
0 2	Fresh Husk Color (25 days after 50% silking) (Munsell code 5 GY 4/8)			0 2 (Munsell code 5 GY 4/8)			
2 1	Dry Husk Color (65 days after 50% Silking) (Munsell code 2.5 Y 8/4)			2 1 (Munsell code 2.5 Y 8/4)			
1	Position of Ear at Dry Husk Stage: 1=Upright 2=Horizontal 3=Pendent			1			
5	Husk Tightness (Rate on scale from 1=very loose to 9=very tight)			8			
2	Husk Extension (at harvest): 1=Short (ears exposed) 2=Medium (<8 cm) 3=Long (8-10 cm beyond ear tip) 4=Very Long (>10 cm)			3			
7b. EAR (Husked Ear Data):			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 6. 4	cm Ear Length	1.1	30	1 8. 5	0.7	30	
3 6. 7	mm Ear Diameter at mid-point	2.1	30	3 8. 0	1.6	30	
1 0 2 . 7	gm Ear Weight	9.3	30	1 0 4. 8	18.0	30	
1 2. 4	Number of Kernel Rows	0.6	30	1 2. 0	0.7	15	
2	Kernel Rows: 1=Indistinct 2=Distinct			2			
1	Row Alignment: 1=Straight 2=Slightly Curved 3=Spiral			1			
0 6. 6	cm Shank Length	0.5	30	0 9. 8	1.9	15	
2	Ear Taper: 1=Slight 2=Average 3=Extreme			2			
Application Variety Data			Standard Inbred Data				
Note: Use chart on first page to choose color codes for color traits.							

Application Variety Data			Page 3		Standard Inbred Data		
8. KERNEL (Dried):			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 0 .4	mm Kernel Length	0.3	30	1 1.4	0.4	15	
7 .8	mm Kernel Width	0.3	30	0 9.0	0.5	15	
3 .7	mm Kernel Thickness	0.2	30	0 4.9	0.3	15	
3 6.5	% Round Kernels (Shape Grade)	4.2	500g	3 1.7	3.6	500g	
1 Aleurone Color Pattern: 1=Homozygous 2=Segregating (describe) _____					1		
1 9 Aleurone Color (Munsell code Lighter than 5 Y 9/1)					1 9 (Munsell code Lighter Than 2.5 Y 9/2)		
0 7 Hard Endosperm Color (Munsell code 2.5 Y 8/10)					0 7 (Munsell code 2.5 Y 8/10)		
3 Endosperm Type: 1=Sweet (su1) 2=Extra Sweet (sh2) 3=Normal Starch 4=High Amylose Starch 5=Waxy Starch 6=High Protein 7=High Lysine 8=Super Sweet (se) 9=High Oil 10=Other _____					0 3		
2 2.7	gm Weight per 100 Kernels (unsized sample)	5.1	1200 seeds	2 9.7	8.7	1200 seeds	
9. COB:			Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
2 0.2	mm Cob Diameter at mid-point	0.6	30	2 2.1	0.8	15	
1 4	Cob Color (Munsell code 5 R 3/8)			1 4 (Munsell code 5 R 3/8)			
10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested; leave Race or Strain Options blank if polygenic):							
A. Leaf Blights, Wilts, and Local Infection Diseases							
7 Anthracnose Leaf Blight (<i>Colletotrichum graminicola</i>)			7 Anthracnose Leaf Blight				
6 Common Rust (<i>Puccinia sorghi</i>)			___ Common Rust				
___ Common Smut (<i>Ustilago maydis</i>)			___ Common Smut				
4 Eyespot (<i>Kabatiella zeae</i>)			7 Eyespot				
6 Goss's Wilt (<i>Clavibacter michiganense</i> spp. <i>nebraskense</i>)			6 Goss's Wilt				
4 Gray Leaf Spot (<i>Cercospora zeae-maydis</i>)			2 Gray Leaf Spot				
7 Helminthosporium Leaf Spot (<i>Bipolaris zeicola</i>)			8 Helminthosporium Leaf Spot Race 2				
7 Northern Leaf Blight (<i>Exserohilum turcicum</i>)			5 Northern Leaf Blight Race 2				
6 Southern Leaf Blight (<i>Bipolaris maydis</i>)			3 Southern Leaf Blight Race O				
___ Southern Rust (<i>Puccinia polysora</i>)			___ Southern Rust				
7 Stewart's Wilt (<i>Erwinia stewartii</i>)			3 Stewart's Wilt				
___ Other (Specify) _____			___ Other (Specify) _____				
B. Systemic Diseases							
___ Corn Lethal Necrosis (MCMV and MDMV)			___ Corn Lethal Necrosis				
___ Head Smut (<i>Sphacelotheca reiliana</i>)			___ Head Smut				
___ Maize Chlorotic Dwarf Virus (MCDV)			___ Maize Chlorotic Dwarf Virus				
___ Maize Chlorotic Mottle Virus (MCMV)			___ Maize Chlorotic Mottle Virus				
___ Maize Dwarf Mosaic Virus (MDMV)			___ Maize Dwarf Mosaic Virus Strain _____				
___ Sorghum Downy Mildew of Corn (<i>Peronosclerospora sorghi</i>)			___ Sorghum Downy Mildew of Corn				
___ Other (Specify) _____			___ Other (Specify) _____				
C. Stalk Rots							
___ Anthracnose Stalk Rot (<i>Colletotrichum graminicola</i>)			___ Anthracnose Stalk Rot				
___ Diplodia Stalk Rot (<i>Stenocarpella maydis</i>)			___ Diplodia Stalk Rot				
___ Fusarium Stalk Rot (<i>Fusarium moniliforme</i>)			___ Fusarium Stalk Rot				
___ Gibberella Stalk Rot (<i>Gibberella zeae</i>)			___ Gibberella Stalk Rot				
___ Other (Specify) _____			___ Other (Specify) _____				
D. Ear and Kernel Rots							
___ Aspergillus Ear and Kernel Rot (<i>Aspergillus flavus</i>)			___ Aspergillus Ear & Kernel Rot				
___ Diplodia Ear Rot (<i>Stenocarpella maydis</i>)			___ Diplodia Ear Rot				
___ Fusarium Ear and Kernel Rot (<i>Fusarium moniliforme</i>)			___ Fusarium Ear & Kernel Rot				
___ Gibberella Ear Rot (<i>Gibberella zeae</i>)			___ Gibberella Ear Rot				
___ Other (Specify) _____			___ Other (Specify) _____				
Application Variety Data			Standard Inbred Data				
Note: Use chart on first page to choose color codes for color traits.							

200600146

Application Variety Data	Page 4	Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested): <div style="display: flex; justify-content: space-between; margin-top: 5px;"> Standard Deviation Sample Size </div> <div style="margin-top: 10px;"> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Banks Grass Mite (<i>Oligonychus pratensis</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Corn Earworm (<i>Helicoverpa zea</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf-Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Silk Feeding : _____ mg larval wt. ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Ear Damage ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Corn Leaf Aphid (<i>Rhopalosiphum maidis</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Corn Sap Beetle (<i>Carpophilus dimidiatus</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> European Corn Borer (<i>Ostrinia nubilalis</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ 1st Generation (Typically Whorl Leaf Feeding) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ 2nd Generation (Typically Leaf Sheath-Collar Feeding) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Stalk Tunneling : _____ cm tunneled/plant ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Fall Armyworm (<i>Spodoptera frugiperda</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf-Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Silk-Feeding : _____ mg larval wt. ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Maize Weevil (<i>Sitophilus zeamaze</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Northern Rootworm (<i>Diabrotica barberi</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Southern Rootworm (<i>Diabrotica undecimpunctata</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Southwestern Corn Borer (<i>Diatraea grandiosella</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Stalk Tunneling : _____ cm tunneled/plant ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Two-spotted Spider Mite (<i>Tetranychus urticae</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Western Rootworm (<i>Diabrotica virgifera virgifera</i>) ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Other (Specify) _____ ___ ___ </div> </div>		<div style="display: flex; justify-content: space-between; margin-top: 5px;"> Standard Deviation Sample Size </div> <div style="margin-top: 10px;"> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Banks Grass Mite ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Corn Earworm ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Ear Damage ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Corn Leaf Aphid ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Corn Sap Beetle ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> European Corn Borer ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ 1st Generation ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ 2nd Generation ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Fall Armyworm ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Maize Weevil ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Northern Rootworm ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Southern Rootworm ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> Southwestern Corn Borer ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Leaf Feeding ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Two-spotted Spider Mite ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Western Rootworm ___ ___ </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> ___ Other (Specify) _____ ___ ___ </div> </div>
12. AGRONOMIC TRAITS: <div style="margin-top: 10px;"> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> 6 Stay Green (at 65 days after anthesis) (Rate on a scale from 1=worst to 9=excellent.) 2 Stay Green </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> 0 0.0 % Dropped Ears (at 65 days after anthesis) 0 0.0 % Dropped ears </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> 0 0.0 % Pre-anthesis Brittle Snapping 0 0.0 % Pre-anthesis Brittle Snapping </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> 0 0.0 % Pre-anthesis Root Lodging 0 0.0 % Pre-anthesis Root Lodging </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> 0 0.0 % Post-anthesis Root Lodging (at 65 days after anthesis) 0 0.0 % Post-anthesis Root Lodging </div> <div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> _____ Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture) _____ Yield </div> </div>		
13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied) <div style="margin-top: 5px;"> <div style="display: flex; justify-content: space-between;"> 1 Isozymes 0 RFLP's 0 RAPD's ___ Other (Specify) _____ </div> </div>		
REFERENCES: <p>Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio State University.</p> <p>Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180.</p> <p>Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Products in the United States. The American Phytopathological Society, St. Paul, MN.</p> <p>Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westport, CT.</p> <p>Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York.</p> <p>McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp.</p> <p>Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230</p> <p>The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.</p> <p>Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp.</p> <p>Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA, Madison, WI.</p> <p>Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., Bul. 831. 1959.</p> <p>U.S. Department of Agriculture. 1936, 1937. Yearbook.</p>		
COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D): <div style="height: 40px; border: 1px solid black; margin-top: 5px;"></div>		
Heat Unit Calculation: $GDU = \frac{\text{Daily Max Temp } (<=86^{\circ}\text{F}) + \text{Daily Min Temp } (>=50^{\circ}\text{F})}{2} - 50^{\circ}\text{F}$		
Supplemental data obtained from 2005 seed inventory and production parent test.		

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).

EXHIBIT E
STATEMENT OF THE BASIS OF OWNERSHIP

1. NAME OF APPLICANT(S) Monsanto Technology L.L.C. LLC	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME 1533766
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 800 N. Lindbergh Blvd. Creve Couer, MO 63167 U.S.A.	5. TELEPHONE (Include area code) (815) 758-9281	6. FAX (Include area code) (815) 758-3117
7. PVPO NUMBER 2006 00 146		

8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate block. If no, please explain.

☒ YES☐ NO

9. Is the applicant (individual or company) a U.S. national or a U.S. based company? If no, give name of country.

☒ YES☐ NO

10. Is the applicant the original owner?

☒ YES☐ NOIf no, please answer one of the following:

a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National(s)?

☐ YES☐ NO

If no, give name of country

b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. based company?

☐ YES☐ NO

If no, give name of country

11. Additional explanation on ownership (Trace ownership from original breeder to current owner. Use the reverse for extra space if needed):

Corn Variety 1533766 was originated and developed by a breeder employed by Monsanto Technology ~~L.L.C.~~ LLC. By agreement between Monsanto Technology ~~L.L.C.~~ LLC and the breeder, all rights to any invention, discovery or development are assigned to Monsanto Technology ~~L.L.C.~~ LLC. No rights to such invention, discovery or development are retained by the breeder.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).


To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT F
DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S) Monsanto Technology LLC	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road Waterman, IL 60556 U.S.A.	TEMPORARY OR EXPERIMENTAL DESIGNATION VARIETY NAME 1533766
NAME OF OWNER REPRESENTATIVE (S) Timothy R. Kain	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road Waterman, IL 60556 U.S.A.	FOR OFFICIAL USE ONLY PVPO NUMBER 2006 00 146

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.


Signature

28 FEB 2008
Date